

MATERIAL SAFETY DATA SHEET

Manufacturer: Canon Inc.
30-2, Shimomoruko 3-chome, Ohta-ku, Tokyo, Japan
Phone: 03-758-2111

Distributor: Hewlett-Packard: P/N 92295A

Date of Preparation: September 19, 1986

SECTION 1: IDENTIFICATION

PRODUCT NAME: EP-S Cartridge (Black)
DESCRIPTION: An assembly for LBP-SX, composed of photosensitive drum, black toner powder and a cleaner blade. The toner powder cannot be removed until the cartridge is forced to be broken.
CANON ITEM NO: R64-0002-010

SECTION 2: INGREDIENTS OF TONER

PRINCIPAL COMPONENTS	wt%	OSHA	ACGIH
Styrene acrylate copolymer	55-65		
Iron oxide (1317-61-9)	30-40		
Salicylic acid chromium chelate (72869-85-3)	1-3	0.5mg(cr)/m3 (TWA)	0.5mg(Cr)/m3 (TWA):

Concerning carcinogenicity, each ingredient is not listed on NTP Third Annual Report on carcinogens, IARC Monograph or OSHA listing.

SECTION 3: PHYSICAL DATA

BOILING POINT (C): Not available for solid mixtures
MELTING POINT (C): 100 - 150 degrees C
VAPOR PRESSURE (mmHg.): Negligible
VAPOR DENSITY (AIR-1): Not Applicable
SOLUBILITY IN WATER: Negligible
SOLUBILITY IN ORGANIC SOLVENTS: Toluene, xyrene, etc.
SPECIFIC GRAVITY (H2O=1): 1.4 - 1.5
PERCENT VOLATILE BY VOLUME (%): Negligible
EVAPORATION RATE (BUTYL ACETATE=1): Negligible
PH IN CONCENTRATE: Cannot be determined
PH IN DILUTION AS USED: Cannot be determined
APPEARANCE AND ODOR: See SECTION 1: DESCRIPTION: Toner is fine powder, with slight plastic.

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used): Not applicable (Some ingredients start melting at 100 C or higher.)
IGNITION TEMPERATURE: Not applicable
FLAMMABLE LIMITS: Combustible
EXTINGUISHING MEDIA: CO2, water, dry chemicals.
SPECIAL FIRE FIGHTING PROCEDURES: None
UNUSUAL FIRE AND EXPLOSION HAZARD: Toner material, like most organic material in powder form, is capable of creating, dust explosion. Refer to USA-NFPA Pamphlet No. 654 "Standard for the Prevention of Fire and Dust Explosion in the Chemical, Dye Pharmaceutical and Plastics Industries", if this material is to be reduced or collected as a powder.

SECTION 5: HEALTH HAZARD DATA OF TONER

Toner powder is not accessible, until the cartridge is forced to be broken.

EXPOSURE LIMITS: See SECTION 2.

EFFECTS OF OVEREXPOSURE:

Inhalation: Gaspings. Do not breathe the dust.
Eye contact: No specific hazard is known to Canon. However, any material that contacts the eye may be irritating.
Skin: Low hazard for industrial handling. No data available for chronic effects of overexposure.

EMERGENCY AND FIRST AID PROCEDURES: In cata of eye contact, flush with plenty of water.

TOXICITY DATA: Negative mutagenicity (Test species: *S. typhimurium*)

SECTION 6: REACTIVITY DATA

STABILITY: Stable
INCOMPATIBILITY: Strong oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: As with any other organic material, combustion will produce carbon dioxide and probably carbon monoxide.
HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 7: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

No toner spillage occurs in normal operation or handling. If it should occur, avoid inhalation of the dust. Sweep material onto paper and place in fiber carton. Package appropriately for safe feed to an incinerator or dissolve in compatible waste solvents prior to incineration.

WASTE DISPOSAL METHOD:

Dispose in an approved incinerator or contract with licensed disposal agency. Disposal may be subject federal, state or local laws:

SECTION 8: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None required.
VENTILATION: Good general ventilation should be sufficient.
PROTECTIVE GLOVES: None required.
EYE PROTECTION: None required.
OTHER PROTECTIVE EQUIPMENT: None

SECTION 9: SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Keep out of reach of children.
Keep from contact with oxidizing materials.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. And, it is based on the level of our knowledge as of the date of preparation.