

AT&T

-- DEXTER EPOXY PATCH KIT 0151 CLEAR RESIN, 9006

MSDS Safety Information

FSC: 8040
NIIN: 01-091-9671
MSDS Date: 05/18/1993
MSDS Num: CDKKJ
Product ID: DEXTER EPOXY PATCH KIT 0151 CLEAR RESIN, 900660622
MFN: 01
Kit Part: Y
Responsible Party
Cage: ATTEL
Name: AT&T
Address: ONE OAK WAY
City: BERKELEY HEIGHTS NJ 07922-2727
Info Phone Number: 908-204-8243
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Published: Y

Contractor Summary

Cage: OPWA9
Name: AT & T NETWORK SYSTEMS
Address: 1 OAK WAY
City: BERKLEY HEIGHTS NJ 07922
Phone: UNKNOWN
Cage: ATTEL
Name: AT&T
Address: ONE OAK WAY
City: BERKELEY HEIGHTS NJ 07922-2727
Phone: 908-204-8243

Item Description Information

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 0

Ingredients

Cas: 2426-08-6
RTECS #: TX4200000
Name: PROPANE, 1-BUTOXY-2, 3-EPOXY-; (N-BUTYL GLYCIDYL ETHER) (BGE). (MFR'S
INVALID CAS #2426-80-6)
OSHA PEL: 50 PPM
ACGIH TLV: 25 PPM

Cas: 112945-52-5
RTECS #: VV7310000
Name: SILICA GEL; (SILICA, AMORPHOUS)
OSHA PEL: 6 MG/M3
ACGIH TLV: 10 MG/M3

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE:IRRITATING TO SKIN AND EYES. CHRONIC:EXPOSURE MAY

CAUSE SKIN SENSITIZATION. THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT MAY NOT BE FULLY INVESTIGATED.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES:FLUSH W/WARM WATER FOR AT LEAST 15 MINUTES. SEE MD. SKIN:FLUSH W/PLENTY OF WATER. WASH THOROUGHLY W/SOAP & WATER, HAND CLEANER OR RUBBING ALCOHOL. DO NOT USE OTHER SOLVENTS TO REMOVE MATERIAL FRO M SKIN. IF IRRITATION PERSISTS SEE MD. REMOVE CONTAMINATED CLOTHING & LAUNDRER BEFORE REUSE. INHAL:REMOVE TO FRESH AIR. INGEST:OBTAIN MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: SCRAPE UP & TRANSFER TO METAL CONTAINER FOR DISPOSAL. USE A RAG OR PAPER TOWEL W/DETERGENT TO WIPE & CLEAN OFF REMAINING RESIDUE.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF I/A/W LOCAL, STATE & FEDERAL RULES & REGULATIONS. APPROPRIATE DISPOSAL METHODS MAY INCLUDE LANDFILL OR INCINERATION.

Handling And Storage Precautions: STORE IN A COOL, DRY PLACE. DO NOT MIX IN BATCHES OF GREATER THAN ONE POUND TOTAL. FOLLOW RECOMMENDED CURING PROCEDURES.

Other Precautions: SILICA PARTICLES IN THIS PRODUCT ARE IN WETTED MATERIAL SO AIRBORNE EXPOSURE WILL NOT OCCUR UNLESS CURED MATERIAL IS SUBSEQUENTLY GROUND, MACHINED OR SANDED. IRRITANT, SENSITIZER. SLIGHTLY COMBUSTIBLE .

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: 200F,93C

Lower Limits: 0.4%

Upper Limits: 1.3%

Extinguishing Media: DRY CHEMICAL OR HALON FIRE EXTINGUISHERS, WATER SPRAY OR FOG, & FOAM.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: DENSE SMOKE & TOXIC GASES MAY BE PRODUCED UPON COMBUSTION.

=====
Control Measures
=====

Respiratory Protection: NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). NOT REQUIRED IF VENTILATION IS SUFFICIENT.

Ventilation: LOCAL EXHAUST VENTILATION IS RECOMMENDED. GENERAL VENTILATION MAY BE ACCEPTABLE.

Protective Gloves: IMPERVIOUS PLASTIC OR RUBBER GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA (FP N). OTHER CLOTHING &/OR EQUIPMENT AS (SUPP DATA)

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: CNDTNS (POLYM):FAILURE TO OBSERVE CAUTIONS MAY RESULT IN EXCESSIVE HEAT BUILD-UP W/RELEASE OF TOXIC GASES. OTHER PROT EQUIP:NEEDED TO PROTECT SKIN & CLOTHING.

=====
Physical/Chemical Properties
=====

B.P. Text: 284F,140C

Vapor Pres: <2

Vapor Density: <1

Spec Gravity: 1.15

Appearance and Odor: TRANSLUCENT LIQUID W/SWEET PLEASANT ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE.

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS ACIDS OR MINERAL ACIDS.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, ALDEHYDES, ORGANIC ACIDS & UNDETERMINED ORGANICS.

Hazardous Polymerization Indicator: YES

Conditions To Avoid Polymerization: AVOID MIXING RESIN & CURING AGENT IN BATCHES >1 LB TOTAL. DO NOT HEAT MATL UNLESS CURING SURFS TO BE BONDED. (SUPP DATA)

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

Product ID: DEXTER EPOXY PATCH KIT 0151 CLEAR RESIN, 900660622
Cage: ATTEL
Company Name: AT&T
Street: ONE OAK WAY
City: BERKELEY HEIGHTS NJ
Zipcode: 07922-2727
Health Emergency Phone: 800-424-9300 (CHEMTREC)
Label Required IND: Y
Date Of Label Review: 03/18/1997
Status Code: C
Label Date: 03/18/1997
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: COMBUSTIBLE. ACUTE: IRRITATING TO SKIN AND EYES.
CHRONIC: EXPOSURE MAY CAUSE SKIN SENSITIZATION.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.