

PARKS CORPORATION -- PRO STRIPPER II, 1573 OR 1575

MSDS Safety Information

FSC: 8010
MSDS Date: 09/14/1995
MSDS Num: CDQGG
LIIN: 00D006295
Product ID: PRO STRIPPER II, 1573 OR 1575
MFN: 01
Responsible Party
Cage: 6L244
Name: PARKS CORPORATION
Box: 5
City: SOMERSET MA 02726
Info Phone Number: 508-679-5938
Emergency Phone Number: 508-679-5938
Review Ind: Y
Published: Y

Contractor Summary

Cage: 6L244
Name: PARKS CORPORATION
Address: UNKNOWN
Box: 5
City: SOMERSET MA 02726
Phone: 508-679-5938

Ingredients

Name: PIGMENTS
% Wt: N/A.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Name: CATALYST
% Wt: N/A.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Name: VEHICLE
% Wt: N/A.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Name: ADDITIVES & OTHERS
% Wt: N/A.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 872-50-4
RTECS #: UY5790000
Name: N-METHYLPYRROLIDONE
% Wt: UNKNOWN
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 763-69-9
RTECS #: UF3325000

Name: ETHYL-3-ETHOXYPROPIONATE
% Wt: UNKNOWN
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 1119-40-0
Name: PENTANEDIOIC ACID, DIMETHYL ESTER
% Wt: UNKNOWN
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 627-93-0
RTECS #: AV1645000
Name: DIMETHYL ADIPATE, METHYL ADIPATE, HEXANEDIOIC ACID DIMETHYL ESTER
% Wt: UNKNOWN
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 106-65-0
RTECS #: WM7675000
Name: DIMETHYL SUCCINATE
% Wt: UNKNOWN
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL RAT) = 4,200 MG/KG
Route Of Entry Inds - Inhalation: YES
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: *TARGET-ORGANS:EYES,SKIN,CNS,RESPIRATORY SYSTEM.* EYE:THIS MATERIAL IS A SEVERE IRRITANT. SKIN:THIS MATERIAL IS AN IRRITANT. IT IS NOT EXPECTED TO BE ABSORBED IN TOXIC AMOUNTS. INHALATION:BREATHING HI GH CONCENTRATIONS MAY CAUSE IRRITATION & CNS EFFECTS. INGESTION:THIS MATERIAL HAS A LOW DEGREE OF TOXICITY.

Explanation Of Carcinogenicity: MFR GAVE THE ABOVE LISTINGS ON THE MSDS BUT NO OTHER COMMENTS ABOUT CARCINOGENICITY WERE RECORDED.

Signs And Symptions Of Overexposure: EYE:STINGING, TEARING, REDNESS, SWELLING & DAMAGE. SKIN:REDNESS, BURNING, DRYING, CRACKING, DAMAGE. INHALATION:RESPIRATORY IRRITATION, HEADACHES, NAUSEA, GIDDINESS, DROWSINESS & MENTAL CONFUSION. INGESTION:EXCESSIVE QUANTITIES MAY CAUSE G/I IRRITATION, NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated By Exposure: PERSONS W/PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL.

First Aid: IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION.
EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDRER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. KEEP WARM & QUIET AND GET IMMEDIATE MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: CONTAIN SPILLS BY DIKING. REMOVE ALL IGNITION SOURCES. ABSORB SPILL IN SAND, SAWDUST, PAPER, ETC. FOR SUBSEQUENT DISPOSAL.
Neutralizing Agent: MFR GAVE NO INFORMATION OF MSDS.
Waste Disposal Methods: DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP OUT OR REACH OF CHILDREN. KEEP OUT OF EYES. AVOID PROLONGED OR REPEATED SKIN CONTACT. DO NOT BREATHE MIST. STORE IN A COOL DRY PLACE.

Other Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 154F,68C

Lower Limits: 1.5

Upper Limits: 7.07

Extinguishing Media: EXTINGUISH W/ALCOHOL FOAM, WATER FOG, CARBON DIOXIDE, DRY CHEMICAL OR HALON.

Fire Fighting Procedures: WEAR SCBA & PROTECTIVE CLOTHING AS CONDITIONS WARRANT. STOP RELEASE IF W/O RISK. MOVE FROM FIRE AREA IF W/O RISK. USE WATER SPRAY TO DISPERSE VAPORS.

Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED & AWAY FROM HEAT & FLAME. DO NOT SMOKE. USE WATER SPRAY TO COOL EQUIPMENT & DRUMS. AVOID SPREADING BURNING LIQUID W/COOLING WATER

=====
Control Measures
=====

Respiratory Protection: WEAR A NIOSH APPROVED ORGANIC VAPOR RESPIRATOR W/MIST PAD IN ENCLOSED AREAS OR WHERE AIRBORNE EXPOSURE GUIDELINES MAY BE EXCEEDED.

Ventilation: IF CURRENT VENTILATION IS IN ADEQUATE, ADD VENTILATION. IF EXPLOSIVE MIXTURES MAY BE PRESENT, USE EXPLOSIVE PROOF EQUIP.

Protective Gloves: CHEMICAL RESISTANT

Eye Protection: SPLASH PROOF GOGGLES

Other Protective Equipment: USE CHEMICAL RESISTANT APRON OR OTHER IMPERVIOUS CLOTHING. KEEP SOURCE OF CLEAN WATER IN AREA FOR FLUSHING EYES & SKIN.

Work Hygienic Practices: MFR GAVE NO INFORMATION OF MSDS.

Supplemental Safety and Health: NONE

=====
Physical/Chemical Properties
=====

HCC: V4

NRC/State LIC No: NONE

Net Prop WT For Ammo: NONE

B.P. Text: 300F,149C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: 0.75 MM

Vapor Density: >1

Spec Gravity: 0.988

Viscosity: UNKNOWN

Solubility in Water: MISCIBLE

Appearance and Odor: CLEAR ABMER, MILD AMINE ODOR

Percent Volatiles by Volume: 97

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: STABLE UNDER NORMAL CONDITIONS. AVOID EXCESSIVE EXPOSURE TO WATER IGNITION SOURCES. HYGROSCOPIC. WILL ABSORB WATER VAPOR

Materials To Avoid: STRONG ACIDS & OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE & NOX MAY BE LIBERATED IF HEATED TO DECOMPOSITION.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
=====
MSDS Transport Information
=====
=====

=====
=====
Regulatory Information
=====
=====

=====
=====
Other Information
=====
=====

=====
=====
Transportation Information
=====
=====

Responsible Party Cage: 6L244
Trans ID NO: 5981
Product ID: PRO STRIPPER II, 1573 OR 1575
MSDS Prepared Date: 09/14/1995
Review Date: 05/06/1997
MFN: 1
Tech Entry NOS Shipping Nm: NONE
Net Unit Weight: UNKNOWN
Multiple KIT Number: 0
Review IND: Y
Additional Data: NONE

=====
=====
Detail DOT Information
=====
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
=====
Detail IMO Information
=====
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====
=====
Detail IATA Information
=====
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
=====
Detail AFI Information
=====
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
=====
HAZCOM Label
=====
=====

Product ID: PRO STRIPPER II, 1573 OR 1575
Cage: 6L244
Company Name: PARKS CORPORATION
Street: UNKNOWN
PO Box: 5
City: SOMERSET MA
Zipcode: 02726
Health Emergency Phone: 508-679-5938
Label Required IND: Y
Date Of Label Review: 05/06/1997
Status Code: C
MFG Label NO: NONE
Label Date: 05/06/1997
Year Procured: 1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING

Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Moderate
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: *TARGET-ORGANS:EYES,SKIN,CNS,RESPIRATORY SYSTEM.*
EYE:THIS MATERIAL IS A SEVERE IRRITANT. SKIN:THIS MATERIAL IS AN IRRITANT. IT
IS NOT EXPECTED TO BE ABSORBED IN TOXIC AMOUNTS. INHALATION:BREATHING HI GH
CONCENTRATIONS MAY CAUSE IRRITATION & CNS EFFECTS. INGESTION:THIS
MATERIAL HAS A LOW DEGREE OF TOXICITY. KEEP OUT OR REACH OF CHILDREN. KEEP
OUT OF EYES. AVOID PROLONGED OR REPEATED SKIN CONTACT. D O NOT BREATHE MIST.
STORE IN A COOL DRY PLACE.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.