

MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 5/25/99
Replaces 4/27/99
Printed 2/02/00

RUST PREP PLUS 12 OZ NW

MSDS ID: 92097

Premier Farnell Corp.
4500 Euclid Avenue
Cleveland, Ohio 44103

Emergency/Information Telephone:
216-391-8300

(In Canada)
Premier Fastener Ltd.
271 Attwell Drive
Etobicoke, Ontario M9W 5B9

Formula: 54926
MSDS Effective: 12/17/98

Section I - Product Identification

Part Number: 92097
Product Name: RUST PREP PLUS 12 OZ NW
Trade Name/Synonyms: RUST PREP PLUS
Chemical Family: AEROSOL COATING

Section II - Hazardous Ingredients

Table with columns: Ingredient, CAS No., WT %, Pel, TLV, Stel, Units, LC50, PPM, LD50, MG/KG. Lists ingredients like DIMETHYL ETHER, ACETONE, METHYL ETHYL KETONE, 2-BUTOXYETHANOL, BENZENE, WATER, and ACRYLIC POLYMER.

Section III - Physical Data

Boiling Pt Deg F/C: N/A
Vapor Pressure(MM HG):N/A
Vapor Density(Air=1):HEAVIER THAN AIR
Solubility In Water: N/A
Physical State: AEROSOL
Freeze PT Deg F/C: N/A
Appearance And Odor: CLEAR AMBER LIQUID WITH SLIGHT SOLVENT ODOR
Voc:Lbs/Gal=3.30; Grams/Liter=396 ; Grams Voc/Gram Solid=N/A ; % Voc 50.9
Specific Gravity:0.78
%Volatile Volume:94
Evaporation Rate:FASTER THAN ETHER
Water/Oil Dist Coeff:N/A
PH: N/A
Threshold Odor,PPM: N/A

Section IV - Fire and Explosion Hazard Data

Classification: FLAMMABLE AEROSOL
Combustion Products: CO, CO2
Flash Point Deg F/C: < OF/-18C PROPELLANT
Extinguishing Media: CO2, DRY CHEMICAL, FOAM
NFPA Rating: 2,3,0
HMIS: 2,3,0
Lel%:1.1 Uel%:27.0

MATERIAL SAFETY DATA SHEETPage 2 of 3
Revised 5/25/99
Replaces 4/27/99
Printed 2/02/00

RUST PREP PLUS 12 OZ NW

DS ID: 92097

Section IV - Fire and Explosion Hazard Data (Cont.)

Auto Ign. Temp Deg F/C: N/A

Special Fire Fighting Procedures:

FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING EQUIPMENT.

Unusual Fire And Explosion Hazards:

EXPOSURE TO FIRE, HEAT OR PROLONGED SUNLIGHT MAY CAUSE BURSTING. CONTACT WITH FLAME OR HOT SURFACES MAY PRODUCE TOXIC GASES. IF USED IN CONFINED SPACES, HAZARDOUS VAPORS MAY SPREAD, BURN OR BUILD UP IN LOW AREAS.

Explosive Power: HIGH

Impact Sensitive: No

Burning Rate: HIGH

Static Sensitive: Yes FLAMMABLE

Section V - Health Hazard Data

Routes Of Entry: SKIN CONTACT, EYE, INHALATION

Effects Of Overexposure:

CAUSES EYE, SKIN & RESPIRATORY SYSTEM IRRITATION. EXCESS INHALATION MAY CAUSE DIZZINESS, GIDDINESS & NAUSEA. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS & POSSIBLE DEATH. REPEATED & PROLONGED OVEREXPOSURE TO SOLVENTS MAY CAUSE PERMANENT DAMAGE TO CNS, LIVER, KIDNEYS, BLOOD AND REPRODUCTIVE SYSTEM. MISUSE OR DELIBERATE INHALATION MAY BE HARMFUL OR FATAL. INGESTION CAUSES NAUSEA, CRAMPS, VOMITING, DIARRHEA.

Warning: This product contains a chemical known to the state of California to cause cancer.

Any suspected carcinogen = or > 0.1%?: No

Emergency and First Aid Procedures:

EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MIN. & CALL PHYSICIAN.

SKIN: WASH THOROUGHLY WITH PLENTY OF WATER & SOAP. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. INHALATION: IF AFFECTED, REMOVE TO FRESH AIR, ADMINISTER OXYGEN & CALL PHYSICIAN. INGESTION: SEEK PHYSICIAN IMMEDIATELY.

Section VI - Reactivity Data

Stable: Yes Conditions to Avoid:

Incompatibility (Materials to Avoid): No

Hazardous Decomposition Products: Yes CO, CO2

Hazardous Polymerization: No

Section VII - Spill or Leak Procedures

Listed In: SARA Title III; #302: No #304, Cercla: Yes #313: Yes

Steps to be Taken in Case Material is Released or Spilled:

REMOVE ALL SOURCES OF IGNITION. VENTILATE THE AREA. CLEAN UP WITH ABSORBENT MATERIAL.

Disposal Method:

DISPOSE OF WASTES IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS. DO NOT PUNCTURE, INCINERATE OR BURN CONTAINERS.

MATERIAL SAFETY DATA SHEET

CERT 707 STL ARC ACDC 5/64"

Page	4 of 4
Revised	7/26/99
Replaces	5/25/99
Printed	2/02/00

MSDS ID: 12720

Section IX - Special Precautions (Cont.)

All components of this product are listed or are exempt from listing on the TSCA inventory and/or the Canadian DSL or NDSL. MSDS prepared by the Corporate Compliance department.

The information and recommendations provided herein are believed to be correct as of the date hereof. However, such information and recommendations are provided without warranty of any kind and Premier Farnell Corp. disclaims any and all liability or legal responsibility for use or reliance upon same.